



Hans Johansson <byggis.se@gmail.com>

Steady LED Strip, Tri-Proof Light, Linear Light

1 meddelande

LED Lighting <sales2@cobled.info>

28 juni 2017 09:00

Svara: sales2@cobled.info

Till: "byggis.se@gmail.com" <byggis.se@gmail.com>

LED Linear Trunking Light

Seamless connection, max length 150~200 meters per line

View angle: 30°/60°/90°/120° / Asymmetric / Double-Asymmetric



Chip: **OSRAM**

Driver: **PHILIPS**

Lumen Efficiency: 150lm/W Common / 0-10V, Dali Dimmable / Emergency Type Available



30° / 60° / 90° / 120° / Asymmetric / Double Asymmetric



Convenient Connection Fixture, Easy Installation

Perfect Lighting for Supermarket, Office, Hotels, Warehouse etc.





LED Tri-Proof light

Aluminum Housing + Milky Cover, IP65;
Emergency Type, Dimmable Type, Microwave Sensor Type also available

LED Tri-Proof Light ◀

Common Type OFF ON Sensor Type Emergency Type

IP65 Water-Proof, Dust-Proof, Damp-Proof, Corrosion-Proof
AL Housing, 110LM/W, 2FT/4FT/5FT, 20-70W, 5 Years Warranty

LED Flood Light | LED Tunnel Light

Osram/Philips LED + Meanwell/Philips Driver, 5 Years Warranty

LED Flood Light ▼

LED Tunnel Light ▲

LED High bay Light | LED Street Light

Osram/Philips LED + Meanwell/Philips Driver, 5 Years Warranty

LED High Bay Light



LED Street Light

LED Strip Light and Accessories

Strip: Double Layer PCB, CRI 80, 90, 95, 3 Years Warranty

Alu Profiles: 6063 Aluminum, mutiple type for choose

Meanwell Drivers: LRS-IP30, LPV-IP67, Agent Price



LED Strip and Accessories



Double PCB, Waterproof with Silicon Glue



2835/3528/5050/5630/RGB/RGBW





Aluminum Profile,excellent heat dissipation



DC12/24V, High quality, Agent Price

Best Regards

Anna Ye / Sales Manager

Standard Electronic Co., Limited

Skype: se-led

WhatsApp: 0086 177 2781 5186

[UNSUBSCRIBE HERE](#)